




**YOUR VISION
OUR MACHINES**



PANEL SAW
Elite 35EU

AMUZMA[®]



High-Precision 3000mm Panel Saw

This industrial-grade panel saw features a robust 3000 mm sliding beam and a dual-blade system (4 kW main blade / 0.75 kW scoring blade) engineered for flawless, chip-free cutting of large sheets. Built with manual blade rising and a 0-45° smooth tilt mechanism, it delivers a maximum cutting depth of 93 mm. Combining heavy-duty reliability with precise manual control, it is the perfect core workhorse for professional woodworking workshops looking to optimize their panel sizing operations.

SPECIFICATIONS

Blade Specifications		Sliding Beam Cutting Capacity		3000 mm
Main Blade Diameter	315 mm	Table Size	819(374+650) mm	
Main Blade Speed	3400rpm/50Hz	Blade Rising	Manual Rising	
Scoring Blade Diameter	120 mm	Blade Tilting	Manual Tilting	
Scoring Blade Speed	7600rpm/50Hz	Dust Extraction Outlet	100 mm	
Blade Tilt	0-45°	Main Motor Output:		
Max Depth of Cut @ 45°	65 mm	3*380V	4 kw	
Max Depth of Cut @ 90°	93 mm	Net/Gross Weight	452/527 kgs	
Max Rip Capacity	975 mm	Package Size (Wood)	2005x1140x870 mm	
Sliding Beam Size	3000×360 mm	Dimensions		
		H	1350mm	
		L	6700mm	
		W	4450 mm	


ACCESSORIES



Blade Tilt and Height Adjustment Controls



Cutting Unit Assembly, Main and scoring Blade






Rip Fence Assembly (Parallel Guide)



Miter Gauge Assembly

DIMENSIONS





AMUZMA[®]

Contact Us

 +971 45478088

 +971 50 857 6840

 info@amuzmamachinery.com

 www.amuzmamachinery.com

 Ras Al Khor, Industrial Area 2,
United Arab Emirates



Website



Contact Us